Freeform Search

Database:
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Term: L64 and (filter$3 or mirror)

Display: 10 Documents in <u>Display Format</u>: |- _____| **Starting with Number** 1

Generate: ⊂ **Hit List** ⦿ **Hit Count** ⊂ **Side by Side** ⊂ **Image**

Search | Clear | Interrupt

Search History

DATE: Thursday, June 28, 2007   <u>**Purge Queries**</u>   <u>Printable Copy</u>   <u>Create Case</u>

Set Name	Query	Hit Count	Set Name result set
	DB=PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=ADJ		
L65	L64 and (filter$3 or mirror)	98	L65
L64	L63 and (weld$3)	146	L64
L63	L41 and (laser near diode)	360	L63
L62	L58 and (weld$3)	9	L62
L61	L58 and (block$3)	116	L61
L60	L58 and (block%4)	0	L60
L59	L58 and (laser filter or IR near block$3 or light near block$3)	6	L59
L58	L56 and (diode near laser)	233	L58
L57	L56 and (semiconductor near laser)	102	L57
L56	374/$.ccls.	29669	L56
	DB=USPT; PLUR=YES; OP=ADJ		
L55	L53 and (oscillat$3 near semiconductor near laser)	0	L55
L54	L53 and (puls$3 near semiconductor near laser)	3	L54
L53	374/$.ccls.	14334	L53
L52	L46 and (metal)	1	L52

DB=PGPB; PLUR=YES; OP=ADJ

L51	20050169346	1	L51
L50	10767798	0	L50

DB=USPT; PLUR=YES; OP=ADJ

L49	L46 and (plastic)	1	L49
L48	L46 and (semiconductor)	0	L48
L47	6299346.pn.	1	L47
L46	6585146.pn.	1	L46

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

L45	L41 and (semiconductor near laser) and (bond$3 near resin)	1	L45
L44	L41 and (semiconductor near laser) and (bond$3 near plastic)	2	L44
L43	L41 and (semiconductor near laser) and (weld$3 near plastic or polymers)	17	L43
L42	L41 and (semiconductor near laser) and (weld$3 near resin)	2	L42

DB=PGPB,USPT,USOC,EPAB,JPAB; PLUR=YES; OP=ADJ

L41	(374/141,5,124,137,126,121,57,4;219/130.01,121.04,121.83,121.64,121.83,121.85)! [CCLS]	9371	L41

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

L40	(semiconductor near laser) and (weld$3 near resin)	49	L40
L39	(semiconductor near laser) same (weld$3 near resin)	8	L39
L38	semiconductor near laser same weld$3 near resin	8	L38
L37	L36 and (semiconductor laser)	35	L37
L36	laser same weld$3 near resin	198	L36
L35	L33 and (laser)	9	L35
L34	L33 and (semiconductor laser)	0	L34
L33	L12 and ($5plastic resin)	72	L33

DB=USPT; PLUR=YES; OP=ADJ

L32	L25 and (polymer or polyimide or rubber or resin)	0	L32
L31	L25 and (semiconductor)	1	L31
L30	7059767.pn.	1	L30
L29	7059767.pn. and (double)	0	L29
L28	L27 and (double)	0	L28
L27	6890096.pn.	1	L27
L26	L25 and (resin or plastic or polymer)	1	L26
L25	5382770.pn.	1	L25
L24	L23 and (filter or block$3)	1	L24
L23	4484059.pn.	1	L23
L22	L21 and (laser)	0	L22
L21	2505647.pn.	1	L21

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

L20	L19 and (temperature or IR or infrared or wavelength$1)	85	L20
L19	(weld$3 near resin) same (laser)	198	L19

DB=USPT; PLUR=YES; OP=ADJ

L18   laser near weld$3 near resin   4   L18
  DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ
L17   laser near weld$3 near resin   103   L17
L16   L15 and (infrared or IR or temperature)   72   L16
L15   (weld$3 near resin) same (laser)   198   L15
L14   (weld$3 near resin) same (weld$3 temperature)   11   L14
L13   L12 and (weld$3 near temperature) same (laser or infrared or IR or scan$4)   6   L13
L12   (weld$3 near resin)   2284   L12
L11   (weld$3 near resin) same (temperature) same (infrared or IR or scan$4) same (laser)   0   L11
L10   L5 and (weld$3 near resin)   6   L10
  DB=USPT; PLUR=YES; OP=ADJ
L9   L8 and (28)   1   L9
L8   5382770.pn.   1   L8
  DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ
L7   L5 and (infrared near filter$1 or IR near filter)   3   L7
L6   L5 and (wavelength$1)   118   L6
L5   (weld$3 near temperature) same (laser or infrared or IR or scan$4)   668   L5
L4   L3 and (weld$3 near temperature)   41   L4
L3   374/$.ccls.   29669   L3
  DB=USPT; PLUR=YES; OP=ADJ
L2   5355123.pn.   1   L2
L1   3882728.pn.   1   L1

END OF SEARCH HISTORY

DATE: Monday, July 09, 2007   **Purge Queries**   Printable Copy   Create Case

Set Name	**Query**	**Hit Count**	**Set Name**
	side by side		result set

 *DB=USPT; PLUR=YES; OP=ADJ*

L2	(resin near weld$3) same (laser)	21	L2
L1	resin near weld$3	481	L1

END OF SEARCH HISTORY

Searches for User *gverbitsky* (Count = 49596)

Queries 49547 through 49596.

Find [   ]

Latest | Prev | Next | Oldest

Edit | Help | Cancel

S #	Updt	Database	Q
S49596	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((374/141,5,124,137,126,121,57,4;219/1 [CCLS] and (laser near diode) and (weld
S49595	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((374/141,5,124,137,126,121,57,4;219/1 [CCLS] and (laser near diode)) and (wel
S49594	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((374/141,5,124,137,126,121,57,4;219/1 [CCLS]) and (laser near diode)
S49593	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(374/$.ccls. and (diode near laser)) and (
S49592	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(374/$.ccls. and (diode near laser)) and (
S49591	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(374/$.ccls. and (diode near laser)) and (
S49590	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(374/$.ccls. and (diode near laser)) and (block$3)
S49589	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(374/$.ccls.) and (diode near laser)
S49588	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(374/$.ccls.) and (semiconductor near la
S49587	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	374/$.ccls.
S49586	U	USPT	(374/$.ccls.) and (oscillat$3 near semicc
S49585	U	USPT	(374/$.ccls.) and (puls$3 near semicond

S49584	U	USPT	374/$.ccls.
S49583	U	USPT	(6585146.pn.) and (metal)
S49582	U	PGPB	20050169346
S49581	U	PGPB	10767798
S49580	U	USPT	(6585146.pn.) and (plastic)
S49579	U	USPT	(6585146.pn.) and (semiconductor)
S49578	U	USPT	6299346.pn.
S49577	U	USPT	6585146.pn.
S49576	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((374/141,5,124,137,126,121,57,4;219/1 [CCLS]) and (semiconductor near laser)
S49575	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((374/141,5,124,137,126,121,57,4;219/1 [CCLS]) and (semiconductor near laser)
S49574	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((374/141,5,124,137,126,121,57,4;219/1 [CCLS]) and (semiconductor near laser)
S49573	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((374/141,5,124,137,126,121,57,4;219/1 [CCLS]) and (semiconductor near laser)
S49572	U	PGPB,USPT,USOC,EPAB,JPAB	(374/141,5,124,137,126,121,57,4;219/13 [CCLS]
S49571	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(semiconductor near laser) and (weld$3 ₁
S49570	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(semiconductor near laser) same (weld$:
S49569	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	semiconductor near laser same weld$3 n

S49568   U   PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD (laser same weld$3 near resin) and (sem

S49567   U   PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD laser same weld$3 near resin

S49566   U   PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD ((weld$3 near resin) and ($5plastic resin

S49565   U   PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD ((weld$3 near resin) and ($5plastic resin

S49564   U   PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD ((weld$3 near resin)) and ($5plastic resi

S49563   U   USPT   (5382770.pn.) and (polymer or polyimic

S49562   U   USPT   (5382770.pn.) and (semiconductor)

S49561   U   USPT   7059767.pn.

S49560   U   USPT   7059767.pn. and (double)

S49559   U   USPT   (6890096.pn.) and (double)

S49558   U   USPT   6890096.pn.

S49557   U   USPT   (5382770.pn.) and (resin or plastic or pc

S49556   U   USPT   5382770.pn.

S49555   U   USPT   (4484059.pn.) and (filter or block$3)

S49554   U   USPT   4484059.pn.

S49553   U   USPT   (2505647.pn.) and (laser)

S49552	U	USPT	2505647.pn.
S49551	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((weld$3 near resin) same (laser)) and (t wavelength$1)
S49550	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(weld$3 near resin) same (laser)
S49549	U	USPT	laser near weld$3 near resin
S49548	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	laser near weld$3 near resin
S49547	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((weld$3 near resin) same (laser)) and (i

Find |

Latest | Prev | Next | Oldest

Edit | Help | Cancel

Searches for User *gverbitsky* (Count = 49596)

Queries 49497 through 49546.

Find

Latest | Prev | Next | Oldest

Edit | Help | Cancel

S #	Updt	Database	Query	Time	Comment
S49546	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(weld$3 near resin) same (laser)	2007-06-28 08:56:29	
S49545	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(weld$3 near resin) same (weld$3 temperature)	2007-06-28 08:52:56	
S49544	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((weld$3 near resin)) and (weld$3 near temperature) same (laser or infrared or IR or scan$4)	2007-06-28 08:52:13	
S49543	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(weld$3 near resin)	2007-06-28 08:51:32	
S49542	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(weld$3 near resin) same (temperature) same (infrared or IR or scan$4) same (laser)	2007-06-28 08:51:12	
S49541	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((weld$3 near temperature) same (laser or infrared or IR or scan$4)) and (weld$3 near resin)	2007-06-28 08:49:11	
S49540	U	USPT	(5382770.pn.) and (28)	2007-06-28 08:46:07	
S49539	U	USPT	5382770.pn.	2007-06-28	

#	Type	Databases	Search Query	Date
S49538	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((weld$3 near temperature) same (laser or infrared or IR or scan$4)) and (infrared near filter$1 or IR near filter)	2007-06-28 08:45:58
				2007-06-28 08:40:55
S49537	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((weld$3 near temperature) same (laser or infrared or IR or scan$4)) and (wavelength$1)	2007-06-28 07:54:06
S49536	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(weld$3 near temperature) same (laser or infrared or IR or scan$4)	2007-06-28 07:53:07
S49535	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(374/$.ccls.) and ((weld$3 near temperature) same (laser or infrared or IR or scan$4)	2007-06-28 07:40:35
S49534	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	374/$.ccls.	2007-06-28 07:40:56
S49533	U	USPT	5355123.pn.	2007-06-28 07:25:56
S49532	U	USPT	3882728.pn.	2007-06-28 07:23:57